

# \*TM 9-2320-325-10-HR

---

## HAND RECEIPT

COVERING  
CONTENTS OF COMPONENTS OF END ITEM (COEI)  
BASIC ISSUE ITEMS (BII)  
AND ADDITIONAL AUTHORIZATION LIST (AAL)  
FOR

HEAVY EXPANDED MOBILITY TACTICAL TRUCK (HEMTT)

MODEL	NSN
TRUCK, CARGO, W/WINCH, M977A2	2320-01-493-3774
TRUCK, CARGO, W/O WINCH, M977A2	2320-01-493-3779
TRUCK, TANK, W/WINCH, M978A2	2320-01-492-8216
TRUCK, TANK, W/O WINCH, M978A2	2320-01-492-8215
TRUCK, TRACTOR, W/WINCH, W/O CRANE, M983A2	2320-01-492-8223
TRUCK, WRECKER, M984A2	2320-01-492-8224
TRUCK, CARGO, W/WINCH, M985A2	2320-01-492-8214
TRUCK, CARGO, W/O WINCH, M985A2	2320-01-492-8201
TRUCK, CARGO, GUIDED MISSILE TRANSPORTER (GMT), W/WINCH, M985A2GMT	2320-01-493-3790
TRUCK, LOAD HANDLING SYSTEM (LHS), W AND W/O WINCH, M1120A2	2320-01-492-8221
TRUCK, COMMON BRIDGE TRANSPORT (CBT), W/WINCH, M1977A2	2320-01-492-8219
TRUCK, COMMON BRIDGE TRANSPORT (CBT), W/O WINCH, M1977A2	2320-01-492-8218
TRUCK, TRACTOR, LIGHT EQUIPMENT TRANSPORTER (LET), M983A2LET	2320-01-528-6636

\*SUPERSEDEURE NOTICE: TM 5-4210-249-13&P-1, TM 5-4210-249-13&P-2, TM 5-4210-249-13&P-3, and TM 5-4210-249-13&P-4 dated 20 Feb 09; EM 0289, TM 9-2320-325-14&P, TM 9-2320-347-10, TM 9-2320-348-10, TM 9-2320-349-10, TM 9-2320-420-10, TM 9-2320-421-10-1, TM 9-2320-421-10-2, TM 9-2320-422-10, TM 9-2320-423-10, TM 9-2320-424-10, TM 9-2320-425-10, TM 9-2320-325-10-HR dated 15 May 2009, Supersedes EM 0232, TM 9-2320-315-14&P, TM 9-2320-315-10, TM 9-2320-315-20, TM 9-2320-315-34, TM 9-2320-315-24P dated 15 Oct 04.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

---

HEADQUARTERS, DEPARTMENT OF THE ARMY

MAY 2009



**HAND RECEIPT  
COVERING  
CONTENTS OF COMPONENTS OF END ITEM (COEI)  
BASIC ISSUE ITEMS (BII)  
AND ADDITIONAL AUTHORIZATION LIST (AAL)  
FOR  
HEAVY EXPANDED MOBILITY TACTICAL TRUCK (HEMTT)**

<b>MODEL</b>	<b>NSN</b>
TRUCK, CARGO, W/WINCH, M977A2	2320-01-493-3774
TRUCK, CARGO, W/O WINCH, M977A2	2320-01-493-3779
TRUCK, TANK, W/WINCH, M978A2	2320-01-492-8216
TRUCK, TANK, W/O WINCH, M978A2	2320-01-492-8215
TRUCK, TRACTOR, W/WINCH, W/O CRANE, M983A2	2320-01-492-8223
TRUCK, WRECKER, M984A2	2320-01-492-8224
TRUCK, CARGO, W/WINCH, M985A2	2320-01-492-8214
TRUCK, CARGO, W/O WINCH, M985A2	2320-01-492-8201
TRUCK, CARGO, GUIDED MISSILE TRANSPORTER (GMT), W/WINCH, M985A2GMT	2320-01-493-3790
TRUCK, LOAD HANDLING SYSTEM (LHS), W AND W/O WINCH, M1120A2	2320-01-492-8221
TRUCK, COMMON BRIDGE TRANSPORT (CBT), W/WINCH, M1977A2	2320-01-492-8219
TRUCK, COMMON BRIDGE TRANSPORT (CBT), W/O WINCH, M1977A2	2320-01-492-8218
TRUCK, TRACTOR, LIGHT EQUIPMENT TRANSPORTER (LET), M983A2LET	2320-01-528-6636

**REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS**

You can help improve this publication. If you find any errors, or if you would like to recommend any improvements to the procedures in this publication, please let us know. The preferred method is to submit your DA Form 2028 (Recommended Changes to Publications and Blank Forms) through the Internet, on the Army Electronic Product Support (AEPS) website. The Internet address is: <https://aeprs.ria.army.mil>. The DA Form 2028 is located under the Public Applications section in the AEPS Public Home Page. Fill out the form and click on SUBMIT. Using this form on the AEPS will enable us to respond quicker to your comments and better manage the DA Form 2028 program. You may also mail, e-mail, or fax your comments or DA Form 2028 directly to the U.S. Army TACOM Life Cycle Management Command. The postal mail address is U.S. Army TACOM Life Cycle Management Command, ATTN: AMSTA-LC-LMPP / TECH PUBS, 1 Rock Island Arsenal, Rock Island, IL 61299-7630. The e-mail address is [tacomlcmc.daform2028@us.army.mil](mailto:tacomlcmc.daform2028@us.army.mil). The fax number is DSN 793-0726 or Commercial (309) 782-0726.

\***SUPERSEDURE NOTICE:** TM 5-4210-249-13&P-1, TM 5-4210-249-13&P-2, TM 5-4210-249-13&P-3, and TM 5-4210-249-13&P-4 dated 20 Feb 09, EM 0289, TM 9-2320-325-14&P, TM 9-2320-347-10, TM 9-2320-348-10, TM 9-2320-349-10, TM 9-2320-420-10, TM 9-2320-421-10-1, TM 9-2320-421-10-2, TM 9-2320-422-10, TM 9-2320-423-10, TM 9-2320-424-10, TM 9-2320-425-10, TM 9-2320-325-10-HR dated 15 May 2009, Supersedes EM 0232, TM 9-2320-315-14&P, TM 9-2320-315-10, TM 9-2320-425-10, TM 9-2320-315-34, TM 9-2320-315-24P dated 15 Oct 04.

**DISTRIBUTION STATEMENT A:** Approved for public release; distribution is unlimited.

## TABLE OF CONTENTS

	<u>Page No.</u>	<u>WP Sequence No.</u>
Introduction . . . . .		WP 0001
Hand Receipt . . . . .		WP 0002

---

## INTRODUCTION

---

### SCOPE

This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to the Heavy Expanded Mobility Tactical Truck (HEMTT) Series trucks.

### GENERAL

- a. Work Package 0002 contains the overprinted DA Form 2062 that lists the contents of COEI, BII, and AAL extracted from TM 9-2320-325-14&P. The listings consist of exactly the same items and are in the same sequence as those listings in TM 9-2320-325-14&P.
- b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.
- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.
- d. Additional copies of this publication may be requisitioned from the Commander, U. S. Army Adjutant General Publications Center, 1655 Woodson Rd., St. Louis, MO 63114 in accordance with Chapter 3, AR 310-2.

### EXPLANATION OF BLOCKS AND COLUMNS (DA FORM 2062)

- a. **From.** Enter the organization for which the property book is maintained.
- b. **To.** Enter the Unit Identifier Code (UIC) and the hand receipt file number of the unit/personnel receiving the property.
- c. **Hand Receipt Number.** Enter a locally designated number. Use it to post the location of property in the property book.
- d. **End Item Stock Number.** Contains the National Stock Number (NSN) of the end item covered by the hand receipt.
- e. **End Item Description.** Contains the end item short title.
- f. **Publication Number.** Contains the TM number of the technical manual containing the Operator's instructions for the equipment.
- g. **Publication Date.** Date of Operator's TM.
- h. **Quantity.** Quantity of the end item covered by this hand receipt.
- i. **Stock Number (Column a).** National stock number of the item described. Items without stock numbers should be requisitioned by Commercial and Government Entity Code (CAGEC) and Part Number with exception data in accordance with AR 710-2.

- j. **Item Description (Column b).** Identifies the item contained in the COEI, BII, and the AAL. It will also contain nomenclature, serial/USA number (if applicable) that will be useful in identifying and controlling the item. Serial number is to be inserted and initialed on all copies by hand receipt holder. In addition, it will contain the 5-digit Commercial and Government Entity Code (CAGEC), Part Number (P/N) and "Used on" code if applicable.

"Used on" codes, listed in the "Description" column, identify which items are used on different models. Codes used in this hand receipt are:

<u>USED ON CODE</u>	<u>MODEL</u>
(BLANK)	All
H51	M977A2, W/Winch
H50	M977A2, W/O Winch
H55	M978A2, W/Winch
H54	M978A2, W/O Winch
H59	M983A2, W/Winch, W/O Crane
H60	M984A2
H53	M985A2, W/Winch
H52	M985A2, W/O Winch
H61	M985A2GMT, W/Winch
H58	M1120A2, W and W/O Winch
H57	M1977A2, W/Winch
H56	M1977A2, W/O Winch
LET	M983A2LET

- k. **(Column c).** The Accounting Requirements Code (ARC) is entered here.

**NOTE**

The Accounting Requirements Code (ARC) refers to property accountability, not to the Recoverability Code (RC). The ARC and RC are listed in the Army Master Data File (AMDF).

One of the following codes will apply:

- N for Nonexpendable: Items not consumed in use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the item.
- D for Durable: Nonconsumable components of sets, kits, outfits and assemblages; all tools in FSCs 5110, 5120, 5130, 5133, 5140, 5180, 5210, 5220, and 5280; and any other nonconsumable with a price in excess of \$50.00 not already "N".
- X for Expendable: Items, regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".
- (.) Stands for: Information not available.

- I. **SEC (Column d).** The Physical Security, Pilferage code is entered here. This is a one-position code which indicates the security classification or pilferage control for storage or transportation of assets. Orders of precedence for assignment of codes is classified, sensitive, pilferable, or unclassified, as applicable.

**SEC CODE**

**Physical Security Code**

A	CONFIDENTIAL - Former Restricted Data.
B	CONFIDENTIAL - Restricted Data.
C	CONFIDENTIAL.
D	CONFIDENTIAL - Cryptologic.
E	SECRET - Cryptologic.
F	TOP SECRET- Cryptologic.
G	SECRET - Former Restricted Data.
H	SECRET - Restricted Data.
K	TOP SECRET - Former Restricted Data.
L	TOP SECRET - Restricted Data.
O	Naval Nuclear Propulsion Information.
S	SECRET.
T	TOP SECRET.
U	UNCLASSIFIED.

**Sensitive Items**

P	Ammunition and Explosives.
Q	An item which is a drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol III, IV or V as defined in the Controlled Substance Act of 1970, and other items requiring secure storage.
R	Alcohol, alcoholic beverages, precious metals, drug or other substance determined by the Director, Drug Enforcement Administration (DEA), Department of Justice, to be designated schedule symbol II as defined in the Controlled Substance Act of 1970, and other items requiring vault storage.
7	Sensitive information, prior to disposal, all nameplates, label plates, tags, stickers, documents or markings, which relate items to weapons system end item application, must be removed and destroyed.

**Ammunition and Explosives Security Risk Code**

1	<u>Highest Sensitivity (Category 1)</u> - Nonnuclear missiles and rockets in a "ready to fire" configuration (e.g., Hamlet, Redeye, Stinger, Dragon, LAW, VIPER) and explosive rounds for nonnuclear missiles and rockets. This category also applies in situations where the launcher (tube) and explosive rounds, though not in a "ready to fire" configuration, are jointly stored or transported.
2	<u>High Sensitivity (Category II)</u> - Arms, Ammunition, and Explosives.
3	<u>Moderate Sensitivity (Category III)</u> - Arms, Ammunition, and Explosives.
4	<u>Low Sensitivity (Category IV)</u> - Arms, Ammunition, and Explosives.
5	<u>Highest Sensitivity (Category I)</u> - Arms, Ammunition, and Explosives with a physical security classification of SECRET. *

**SEC CODE**

- 6 Highest Sensitivity (Category I) - Arms, Ammunition, and Explosives with a physical security classification of CONFIDENTIAL. \*
- 8 Highest Sensitivity (Category II) - Arms, Ammunition, and Explosives with a physical security classification of CONFIDENTIAL. \*

**Pilferable Items**

- I Aircraft engine equipment and parts.
- M Hand tools and shop equipment.
- N Firearms.
- V Individual clothing and equipment.
- W Office machines.
- X Photographic equipment and supplies.
- Y Communications/electronic equipment and parts.
- Z Vehicular equipment and parts.
- J Pilferable item, due to size, shape and utility, which does not fall under one of the above categories. Pilferage controls may be designated by the coding activity to items coded U (unclassified) by recording the items to J.

\* Items coded 5, 6, or 8 will be stored and transported in accordance with the provisions of DOD 5100, 76-M or DOD 5200. 1-R, whichever is more stringent.

- m. **UI (Column e).** Unit of Issue. Refer to AR 708-1 and/or CDA PAM 18-1 (Catalog Data Activity) for explanation of abbreviations used in this column.
- n. **QTY AUTH (Column f).** The quantity authorized to be on hand, or part of the end item.
- o. **Quantity (Column g).** Actual quantity on hand. Subcolumns a. through f. are to be filled in by the receiving unit/personnel in accordance with DA PAM 710-2-1, Chapter 6.
- p. **Page No./No. of Pages.** Contains page number and total number of pages for the COEI, BII, and AAL portions of the hand receipt. Hand receipt holder will initial each page No. (only when two or more forms are involved). When hand receipt holders change, the old initials will be lined out and the new hand receipt holder will initial each page.

**SPECIAL INFORMATION**

Not applicable.

**AUTHORIZATION DOCUMENTS**

- a. Components of End Items (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- b. Basic Issue Items (BII) are authorized by the applicable operator's manual.
- c. Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

**END OF WORK PACKAGE**



<b>HAND RECEIPT/ANNEX NUMBER</b> <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:	TO:					HAND RECEIPT NUMBER					
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER <b>SEE SERIES BELOW</b>	END ITEM DESCRIPTION <b>HEMTT TRUCKS</b>			PUBLICATION NUMBER <b>TM 9-2320-325-10</b>			PUBLICATION DATE <b>15 December 2008</b>			QUANTITY		
STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH <i>f.</i>	g. QUANTITY						
							A	B	C	D	E	F	
2320-01-493-3774	Truck, Cargo, W/Winch, 8x8 - M977A2	H51				1							
2320-01-493-3779	Truck, Cargo, W/O Winch, 8x8 - M977A2	H50				1							
2320-01-492-8216	Truck, Tank, W/Winch, 8x8 - M978A2	H55				1							
2320-01-492-8215	Truck, Tank, W/O Winch, 8x8 - M978A2	H54				1							
2320-01-492-8223	Truck, Tractor, W/Winch, W/O Crane, 8x8 - M983A2	H59				1							
2320-01-492-8224	Truck, Wrecker, 8x8 - M984A2	H60				1							
2320-01-492-8214	Truck, Cargo, W/Winch, 8x8 - M985A2	H53				1							
2320-01-492-8201	Truck, Cargo, W/O Winch, 8x8 - M985A2	H52				1							
2320-01-493-3790	Truck, Cargo, Guided Missile Transporter (GMT), W/Winch, 8x8 - M985A2GMT	H61				1							
2320-01-492-8221	Truck, Load Handling System (LHS), W and W/O Winch, 8x8 - M1120A2	H58				1							
2320-01-492-8219	Truck, Common Bridge Transport (CBT), W/Winch, 8x8 - M1977A2	H57				1							
2320-01-492-8218	Truck, Common Bridge Transport (CBT), W/O Winch, 8x8 - M1977A2	H56				1							
2320-01-528-6636	Truck, Tractor, Light Equipment Transporter (LET), 8x8 - M983A2LET	LET				1							
* WHEN USED AS A : HAND RECEIPT, enter Hand Receipt Anex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).													

0002-1

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code <i>c.</i>	* <i>d.</i>	SEC <i>e.</i>	UI <i>f.</i>	QTY AUTH <i>g.</i>	QUANTITY					
							A	B	C	D	E	F
<b>COMPONENTS OF END ITEMS (COEI)</b>												
2590-01-180-0996	BASE ASSEMBLY, OUTRIGGER: Pad (45152) 1354640W	H60, H61			EA	2						
6150-01-184-1901	CABLE AND CONDUIT ASSEMBLY, ELECTRICAL: Crane (12361) 2-198-6-00061	H51, H50, H60,H53, H54			EA	1						
6150-01-231-6662	CABLE ASSEMBLY, POWER, ELECTRICAL: HD Winch (45152) 1491030	H60, LET	D	Z	EA	1						
6150-01-282-1882	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL: Crane 35 ft. (34914) 981 6488	H61			EA	1						
3810-01-198-4515	CONTROL-POWER SUPPLY: Crane RCU (34914) 690 6052	H61			EA	1						
5895-01-467-7784	CONTROL POWER SUPPLY GROUP: LHS RCU (OENJ2) DA-00E-100	H57, H56			EA	1						
6680-01-208-4495	GAGE ROD, LIQUID LEVEL: Tanker Dipstick (45152) 1460070	H55, H54			EA	1						
	HARD LIFT ASSEMBLY (45152) 1964850U	H61			EA	2						
4720-01-185-6067	HOSE ASSEMBLY, NONMETALLIC: Fuel 15 ft. (45152) 1378080	H55, H54	D	Z	EA	1						
5440-01-342-0700	LADDER, STRAIGHT (45152) 2019940	H58,H57, H56	D	Z	EA	1						
2540-01-166-1384	LADDER, VEHICLE BOARDING (45152) 1766590W	H51, H50, H55, H54, H59, H60, H53, H54, H61, LET	D	Z	EA	1						
5995-01-214-1452	LEAD, ELECTRICAL (04164) 1025 3338	H61			EA	1						
4930-01-318-6091	NOZZLE, FUEL AND OIL SERVICING: 2.5 in. Automotive (81718) 311AG1	H55, H54			EA	2						
2520-01-188-5129	RECEIVER-TRANSMITTER, HYDRAULIC CONTROL: Crane RCU (12361) 2-198-6-00053	H51, H50, H60, H53, H54			EA	1						
2590-01-184-1902	SHOE, JACK-SUPPORT: Outrigger Pad (12361) 2-198-1-00028	H51, H50, H53, H54			EA	2						
2590-01-217-8317	STATION, WINCH CONTROL: HD Winch (45152) 1437940U	H60, LET	N	Z	EA	1						

0002-2

TM 9-2320-325-10-HR

0002

<b>HAND RECEIPT/ANNEX NUMBER</b> <small>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</small>	FROM:	TO:	HAND RECEIPT NUMBER
---	-------	-----	---------------------

FOR ANNEX/ CR ONLY	END ITEM STOCK NUMBER <b>SEE SERIES BELOW</b>	END ITEM DESCRIPTION <b>HEMTT TRUCKS</b>	PUBLICATION NUMBER <b>TM 9-2320-325-10</b>	PUBLICATION DATE <b>15 December 2008</b>	QUANTITY
--------------------------	--	---	---	---	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	* <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
							A	B	C	D	E	F
<b>COMPONENTS OF END ITEMS (COEI) - Continued</b>												
	TAGLINE (45152) 1502660	H61			EA	2						
2540-01-217-8312	TOWBAR, MOTOR VEHICLE: Tow Spade Assembly (45152) 1444560U	H60			EA	1						
5595-00-772-8813	WIRE, VEHICLE TO TRAILER (45152) 64297CX	H59, LET			EA	1						
6150-01-453-9023	WIRING HARNESS: RCU Cable Assembly (45152) 3055065	H57, H56			EA	1						
	YOKE ASSY (45152) 1964890W	H61			EA	2						

\* WHEN USED AS A :

- HAND RECEIPT, enter Hand Receipt Anex Number
- HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
- HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

0002-3

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH	<i>g.</i> QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII)</b>												
5120-00-022-9783	ADJUSTING AND RELEASE TOOL WRENCH (64334) 819117	H61			EA	1						
5110-00-293-2336	AXE, SINGLE BIT (19207) 6150925	H55, H54, H60	D	Z	EA	1						
8105-01-353-2497	BAG, TEXTILE: Pamphlet (45152) 1362710		X	U	EA	1						
5340-01-236-2109	BAND, RETAINING: Acetylene Tank (45152) 1454420W	H60	X	J	EA	2						
5340-01-182-9527	BAND, RETAINING: Oxygen Tank (45152) 1374630W	H60			EA	2						
5120-00-224-1372	BAR, PINCH (79202) 15840	H60	D	M	EA	1						
5120-00-293-0665	BAR, WRECKING (96508) 11873	H60	D	M	EA	1						
7510-00-889-3494	BINDER, LOOSE-LEAF (19207) 11677003		X	U	EA	1						
3940-01-163-2319	BLOCK, TACKLE: 20 Ton (75535) 168400	H51, H55, H59, H60, H53, H61, H58, H57	N	Z	EA	1						
3940-01-230-0294	BLOCK, TACKLE: 60 Ton (95975) 6250-08	H60	N	Z	EA	1						
5340-01-211-6107	BRACKET, ANGLE: Steering Lock (45152) 1358410	H60	N	Z	EA	1						
2540-00-409-8891	BRACKET ASSEMBLY, TOOL: Pioneer (96909) MS53053-1	H55, H54, H60	N	Z	EA	1						
5340-01-462-1757	BRACKET, MOUNTING: Bail Bar Lock (45152) 3191030	H57, H56			EA	1						
5340-01-516-2058	BRACKET, MOUNTING: (LH) MUA (45152) 3483699 <b>NOTE:</b> Wrecker may be equipped with either (LH) MUA BRACKET or HOOK ASSY, TOW (LH) LIFT ADAPTER, NSN 2590-01-226-3351, but never both.	H60	D	Z	EA	1						
5340-01-516-2059	BRACKET, MOUNTING: (RH) MUA (45152) 3484856 <b>NOTE:</b> Wrecker may be equipped with either (RH) MUA BRACKET or HOOK ASSY, TOW (RH) LIFT ADAPTER, NSN 2540-01-226-3350, but never both.	H60			EA	1						
2540-01-246-5218	BRACKET, TOW HOOK: Extension Assembly (45152) 1543440W	H60	N	Z	EA	2						

0002-4

TM 9-2320-325-10-HR

0002

<b>HAND RECEIPT/ANNEX NUMBER</b>		FROM:	TO:				HAND RECEIPT NUMBER					
For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.												
FOR ANNEX/GR ONLY	END ITEM STOCK NUMBER <b>SEE SERIES BELOW</b>	END ITEM DESCRIPTION <b>HEMTT TRUCKS</b>	PUBLICATION NUMBER <b>TM 9-2320-325-10</b>			PUBLICATION DATE <b>15 December 2008</b>			QUANTITY			
STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH <i>f.</i>	g. QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
2540-01-246-8013	BRACKET, TOW HOOK: (LH) Lift Adapter (45152) 1531180U	H60	N	Z	EA	1						
2540-01-226-3373	BRACKET, TOW HOOK: (LH) Lift Adapter (45152) 1497260W	H60	N	Z	EA	1						
2540-01-246-8012	BRACKET, TOW HOOK: (LH) Lift Adapter (45152) 1532180W	H60	N	Z	EA	1						
2540-01-226-5266	BRACKET, TOW HOOK: (RH) Lift Adapter (45152) 1497250W	H60	N	Z	EA	1						
2540-01-246-7770	BRACKET, TOW HOOK: (RH) Lift Adapter (45152) 1531170U	H60	N	Z	EA	1						
2540-01-246-5219	BRACKET, TOW HOOK: (RH) Lift Adapter (45152) 1532170W	H60	N	Z	EA	1						
6150-01-022-6004	CABLE ASSEMBLY, POWER, ELECTRICAL: NATO (19207) 11682336-1	H60			EA	1						
6150-01-180-6035	CABLE ASSEMBLY, POWER, ELECTRICAL: Worklamp (45152) 1419770U	H51, H50, H60, H53, H52, H61, H58, H57, H56	D	M	EA	1						
6150-01-320-0719	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL: Worklamp (45152) 1771530W	H51, H50, H53, H52, H61, H58, H57, H56	D	M	EA	1						
4010-01-229-7769	CHAIN: 8 ft. (45152) 1340930	H60	X	J	EA	1						
4010-01-200-1506	CHAIN ASSEMBLY, SINGLE LEG: 7 ft. Limp Home (45152) 1452490		X	J	EA	1						
* WHEN USED AS A : HAND RECEIPT, enter Hand Receipt Anex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).												

0002-5

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH	<i>g.</i> QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
4010-01-250-5428	CHAIN ASSEMBLY, SINGLE LEG: 12 ft. (80535) 022-4712	H60	X	J	EA	4						
4010-01-249-0548	CHAIN ASSEMBLY, SINGLE LEG: 14 ft. Utility (96508) 00044-9973		X	J	EA	1						
5110-00-221-1075	CHISEL, BLACKSMITHS (96906) MS16882-2	H60	D	M	EA	1						
2540-01-165-6136	CHOCK, WHEEL-TRACK (16236) CS-2540-0067				EA	4						
4730-01-222-6705	COUPLING, HALF, QUICK DISCONNECT: Reducer Adapter (33813) 25CX20A	H55, H54			EA	2						
5120-00-224-1390	CROWBAR (56161) 10501985	H60			EA	1						
8120-00-268-3360	CYLINDER, COMPRESSED GAS, ACETYLENE (81349) MIL-C-3701-4	H60			CY	1						
8120-00-357-7992	CYLINDER, COMPRESSED GAS, OXYGEN (81348) C901/1-15	H60			CY	1						
5120-00-020-5635	DRIVE ADAPTER, TORQUE WRENCH (64334) 809506	H61			EA	1						
2540-01-226-7138	EXTENSION ASSEMBLY (LH) (45152) 1447200W	H60	N	Z	EA	1						
3040-01-224-5497	EXTENSION ASSEMBLY (RH) (45142) 1447190W	H60	N	Z	EA	1						
5120-00-240-8706	EXTENSION, SOCKET WRENCH: 4.25 in. (05047) B107.10M	H61			EA	1						
5130-01-400-0129	EXTENSION, SOCKET WRENCH: 13 in. (1CV05) 07569	H58, H57, H56	D	M	EA	1						
4210-01-460-9083	EXTINGUISHER, FIRE (99539) 36250	H55, H54			EA	2						
4210-01-460-9083	EXTINGUISHER, FIRE (99539) 36250	H60			EA	1						
4210-01-133-9053	EXTINGUISHER, FIRE: 2.7 lbs, 10 BC (03670) 429101	H51, H50, H55, H54, H59, H60, H58, H57, H56, LET	D	M	EA	1						
4210-01-133-9053	EXTINGUISHER, FIRE: 2.7 lbs, 10 BC (03670) 429101	H52, H53, H61	D	M	EA	2						

0002-6

TM 9-2320-325-10-HR

0002

<b>HAND RECEIPT/ANNEX NUMBER</b> <small>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</small>	FROM:	TO:	HAND RECEIPT NUMBER
---	-------	-----	---------------------

<small>FOR ANNEX/CR ONLY</small>	<b>END ITEM STOCK NUMBER</b> <b>SEE SERIES BELOW</b>	<b>END ITEM DESCRIPTION</b> <b>HEMTT TRUCKS</b>	<b>PUBLICATION NUMBER</b> <b>TM 9-2320-325-10</b>	<b>PUBLICATION DATE</b> <b>15 December 2008</b>	QUANTITY
----------------------------------	---	--	--	--	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH <i>f.</i>	g. QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
6545-00-922-1200	FIRST AID KIT, GENERAL PURPOSE (64616) SC C-6545-IL VOL2				EA	1						
4910-01-003-9599	GAGE, TIRE PRESSURE, SELF-CONTAINED (94894) 61-J2-1506		D	M	EA	2						
5120-01-526-1378	HAMMER, HAND: 6 lbs (45152) 1362600	H55, H54, H60	D	M	EA	1						
5120-00-900-6098	HAMMER, HAND: 12 lbs Sledge (45152) 1362570	H60			EA	1						
5340-01-209-7841	HANDLE, EXTENSION (45152) 1347720		D	M	EA	1						
5120-00-288-6574	HANDLE, PICK-MATTOCK (56161) 10501973	H55, H54, H60	X	M	EA	1						
5120-01-242-7218	HANDLE, SOCKET WRENCH: Sliding "T" (45152) 1505380	H58, H57, H56	X	M	EA	1						
5120-01-233-9508	HANDLE, SOCKET WRENCH: Wheel Lugnut (66784) ORR301		D	M	EA	1						
2590-01-226-3349	HOOK ASSEMBLY, TOW: (LH) Lift Adapter (45152) 1481840W	H60	N	Z	EA	1						
2540-01-226-7139	HOOK ASSEMBLY, TOW: (RH) Lift Adapter (45152) 1481830W	H60	N	Z	EA	1						
2590-01-226-3351	HOOK ASSY, TOW: (LH) Lift Adapter (45152) 1481890W <b>NOTE:</b> Wrecker may be equipped with either (LH) TOW HOOK ASSY or BRACKET, MOUNTING: (LH) MUA, NSN 5340-01-516-2058, but never both.	H60	N	Z	EA	1						

\* WHEN USED AS A :

- HAND RECEIPT, enter Hand Receipt Anex Number
- HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
- HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

0002-7

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH	<i>g.</i> QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
2540-01-226-3350	HOOK ASSY, TOW: (RH) Lift Adapter (45152) 1481880W <b>NOTE:</b> Wrecker may be equipped with either (RH) TOW HOOK ASSY or BRACKET, MOUNTING: (RH) MUA, NSN 5340-01-516-2059, but never both.	H60	N	Z	EA	1						
4030-01-234-0032	HOOK, GRAB: Clevis (80535) 450-3815	H60	N	Z	EA	2						
4720-00-356-8571	HOSE ASSEMBLY, NONMETALLIC: Acetylent 25 ft. (13669) 21-1108	H60	X	U	EA	1						
4720-01-558-6415	HOSE ASSEMBLY, NON METALLIC: Air 50 ft. (45152) 215521OU		D	M	EA	2						
4720-01-254-0189	HOSE ASSEMBLY, NONMETALLIC: Inter-Vehicular MS39325-9-140-B	H60	X	U	SE	2						
4720-00-356-8572	HOSE ASSEMBLY, NONMETALLIC: Oxygen (81348) ZZ-H-461	H60	D	M	EA	1						
4720-01-342-0595	HOSE ASSEMBLY, NONMETALLIC: Slave (45152) 1793550	H58, H57, H56			EA	1						
4910-01-386-4300	INFLATOR-GAGE, PNEUMATIC TIRE (63900) I-405M		D	M	EA	2						
5120-01-146-8096	JACK, HYDRAULIC, HAND: 12 Ton With Handle (26952) EBJ-12GC				EA	1						
6220-01-250-5190	LIGHT, WARNING: Beacon (45152) 3145661	H60	D	Z	EA	1						
5120-00-243-2395	MATTOCK: Pick (19207) 11677022	H55, H54, H60	X	U	EA	1						
4930-00-051-3194	NOZZLE, FUEL AND OIL SERVICING: D1 (ODT23) 64349CDK	H55, H54	D	Z	EA	1						
5310-01-063-8970	NUT, PLAIN, HEXAGON: 38-16 G5 ZY (45152) 434AX1	H60			EA	4						
5310-01-081-8244	NUT, SELF-LOCKING, HEXAGON: .50-13 G8 (45152) 60860AX	H60			EA	4						
5340-00-158-3807	PADLOCK: With Chain (58536) AA59487-2SC	H51, H50, H58, H57, H56	X	J	EA	4						
5340-00-158-3807	PADLOCK: With Chain (58536) AA59487-2SC	H55, H54, H53, H52, H61	X	J	EA	3						

0002-8

TM 9-2320-325-10-HR

0002



<b>HAND RECEIPT/ANNEX NUMBER</b> <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:	TO:				HAND RECEIPT NUMBER					
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER <b>SEE SERIES BELOW</b>	END ITEM DESCRIPTION <b>HEMTT TRUCKS</b>	PUBLICATION NUMBER <b>TM 9-2320-325-10</b>			PUBLICATION DATE <b>15 December 2008</b>			QUANTITY			
STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH <i>f.</i>	g. QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
5340-00-158-3807	PADLOCK: With Chain (58536) AA59487-2SC	H59, LET	X	J	EA	2						
5340-00-158-3807	PADLOCK: With Chain (58536) AA59487-2SC	H60	X	J	EA	5						
5340-00-158-3805	PADLOCK: Without Chain (for steering column) (58536) AA59487-2S	H51, H50, H59, H60, H53, H52, H61, H58, H57, H56, LET	X	J	EA	1						
5340-00-158-3805	PADLOCK: Without Chain (58536) AA59487-2S	H55, H54	X	J	EA	3						
5315-01-513-1553	PIN, COTTER (45152) 3341263 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	4						
5315-01-515-6848	PIN, COTTER: Hairpin (45152) 1533610	H60			EA	4						
5315-01-490-5334	PIN, COTTER: Ring, Rue (45152) 3471752 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	8						
5315-01-259-0313	PIN, LOCK: Hairpin, Cotter (96652) 21-07	H60			EA	2						
5315-01-490-7325	PIN, QUICK (45152) 3406240 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	4						
5315-01-250-4676	PIN, QUICK RELEASE: Extension (45152) 1543800U	H60	N	Z	EA	2						
5315-01-257-7801	PIN, QUICK RELEASE: Hitch Pin (96652) 30-18	H60			EA	1						
5315-01-258-8581	PIN, SHOULDER, HEADED: Quick Release (45152) 1536450U	H60	X	U	EA	1						
* WHEN USED AS A : HAND RECEIPT, enter Hand Receipt Anex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).												

0002-9

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH	<i>g.</i> QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
5315-01-257-4512	PIN, SHOULDER, HEADED: Tow Adapter (45152) 1532880	H60	N	Z	EA	2						
5315-01-257-7802	PIN, SHOULDER, HEADED: Tow Adapter (45152) 1532890	H60	N	Z	EA	2						
5315-01-431-0602	PIN, SHOULDER, HEADLESS: Bail Lock (05FJ2) 2207830	H57, H56			EA	1						
5315-01-516-2071	PIN, SPRING: .125x.75 (45152) 3475291 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	6						
5315-01-516-2070	PIN, STRAIGHT, HEADED: 1-1/4 in. (45152) 3471882 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	4						
5315-01-515-6846	PIN, STRAIGHT, HEADED: MUA Lower (45152) 3483740 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	2						
5315-01-516-2062	PIN, STRAIGHT, HEADED: MUA MTRV/939 (45152) 3483735 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	4						
5315-01-515-6847	PIN, STRAIGHT, HEADED: MUA Upper (45152) 3483739 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	2						
5315-01-516-2068	PIN, STRAIGHT, HEADLESS: 3 in. (45152) 3471888 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	4						
2540-01-165-5987	PLATE, BASE, JACK (16236) 2540V0730		D	M	EA	1						
5120-01-480-0640	PLIERS, SLIP JOINT: 10 in. Adjustable (45152) 1350150		D	M	EA	1						
9905-01-480-0644	REFLECTOR SET, HIGHWAY WARNING, TRIANGULAR (45152) 6432GBX		X	U	SE	1						

0002-10

TM 9-2320-325-10-HR

0002

<b>HAND RECEIPT/ANNEX NUMBER</b> <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>		FROM:	TO:				HAND RECEIPT NUMBER					
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER <b>SEE SERIES BELOW</b>	END ITEM DESCRIPTION <b>HEMTT TRUCKS</b>	PUBLICATION NUMBER <b>TM 9-2320-325-10</b>			PUBLICATION DATE <b>15 December 2008</b>			QUANTITY			
STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH <i>f.</i>	g. QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
4820-01-079-8235	REGULATOR, COMPRESSED GAS: Oxygen (63026) 0781-3905	H60	X	U	EA	1						
5975-00-878-3791	ROD, GROUND: 30 in. with connector (82370) A104	H55, H54	X	U	EA	6						
5140-01-167-1541	ROLL, TOOLS AND ACCESSORIES (45152) 1350190		D	M	EA	1						
5140-00-368-6326	ROLL, TOOLS AND ACCESSORIES: GMT Specific Tools (19207) 12314263	H61			EA	1						
5140-01-227-9604	ROLL, TOOLS AND ACCESSORIES: Welding Kit (45152) 1478710	H60	X	U	EA	1						
5305-01-167-9408	SCREW, CAP, HEXAGON HEAD: .50-13X2.00 (45152) 128131A	H60			EA	4						
5305-01-056-5448	SCREW, CAP, HEXAGON HEAD: Capscrew .38-16x.75 (45152) 501BO1	H60	X	U	EA	4						
5120-01-398-8053	SCREWDRIVER, CROSS TIP: Philips No. 3 (96508) SDFP56		D	M	EA	1						
5120-00-293-3309	SCREWDRIVER, FLAT TIP: NO.6 (03914) 66-110		D	M	EA	1						
4030-00-377-1397	SHACKLE: ANCHOR, LIMP HOME (81348) RR-C-271TY4AGRBCL25Z1.00		N	Z	EA	1						
4030-01-197-2334	SHACKLE: SLINGING (45152) 1451750	H55, H54, H58, H57, H56	N	Z	EA	2						
4030-01-316-1552	SHACKLE: TOWING: (81348) RR-C-271DTYIVAGRACLI 3/8 IN	H51, H50, H59, H60, H53, H52, H61, LET	N	Z	EA	4						
* WHEN USED AS A : HAND RECEIPT, enter Hand Receipt Anex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).												

0002-11

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code <i>c.</i>	* <i>d.</i>	SEC <i>e.</i>	UI <i>f.</i>	QTY AUTH <i>g.</i>	QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
4030-01-316-1552	SHACKLE: TOWING: (81348) RR-C-271DTYIVAGRACLI 3/8 IN	H55, H54, H58, H57, H56	N	Z	EA	2						
5120-01-515-7117	SHOVEL, HAND (45152) 3453866	H55, H54, H60	D	M	EA	1						
3940-01-209-6008	SLING AND WIRE ROPE ASSEMBLY SET (28620) AC 2000 00331	H51, H50, H60	D	U	EA	1						
3940-01-270-3389	SLING, MULTIPLE LEG: 16 ft. Safety Chain (45152) 1482010	H60	X	J	EA	2						
5120-00-242-3349	SOCKET, SOCKET WRENCH: 3/4 in. (05506) SD-1224	H61			EA	1						
5130-00-541-7839	SOCKET, SOCKET WRENCH: 1-1/2 in. (IDJ82) DDP486A	H58, H57, H56			EA	1						
5365-01-257-4399	SPACER, SLEEVE: Tube 4 in. long (45152) 1531110	H60	N	Z	EA	2						
5365-01-257-4400	SPACER, SLEEVE: Tube 5 in. long (45152) 1531120	H60	N	Z	EA	2						
5365-01-516-2069	SPACER, SPECIAL SHAPED: MUA 1.5 (45152) 3471878 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	4						
5365-01-516-2066	SPACER, SPECIAL SHAPED: MUA 3.0 (45152) 3471714 <b>NOTE:</b> Applicable only to Wreckers equipped with MUA (Towing) Brackets.	H60			EA	4						
6220-01-326-2286	SPOTLIGHT: Worklamp (78422) 1401182	H51, H50, H53, H52, H61, H58, H57, H56	D	M	EA	1						
5340-00-543-3398	STRAP WEBBING: 1 in. X 12 in. (19207) 8690462	H60	X	J	EA	4						
5340-01-209-7806	STRAP WEBBING: 1 in. X 16 in. (45152) 1376380	H60	X	J	EA	1						
5340-00-753-3744	STRAP, WEBBING: 1 in. X 36 in. (19207) 8690473	H60	X	U	EA	8						
1670-00-725-1437	TIEDOWN, CARGO (18876) 10045035	H51, H50	X	U	EA	24						
3990-01-204-3009	TIE DOWN, CARGO, VEHICLE (OKH26) MIL-PRF-71224-1	H52, H53, H61	X	U	EA	8						
5180-00-754-0661	TOOL KIT, WELDERS (50980) SC5180-90-N39	H60	D	U	EA	1						

0002-12

TM 9-2320-325-10-HR

0002

<b>HAND RECEIPT/ANNEX NUMBER</b>		FROM:			TO:			HAND RECEIPT NUMBER				
For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.												
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER <b>SEE SERIES BELOW</b>	END ITEM DESCRIPTION <b>HEMTT TRUCKS</b>	PUBLICATION NUMBER <b>TM 9-2320-325-10</b>			PUBLICATION DATE <b>15 December 2008</b>			QUANTITY			
STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH <i>f.</i>	g. QUANTITY					
							A	B	C	D	E	F
<b>BASIC ISSUE ITEMS (BII) - Continued</b>												
3433-00-294-6743	TORCH SET, TYPE 2 (81349) MIL-T-13880	H60	N	U	SE	1						
2540-01-254-5029	TOWBAR, MOTOR VEHICLE: Fairlead Lift Bar (45152) 1567820W	H60	N	Z	EA	1						
6220-01-456-2746	TOW LIGHT ASSEMBLY (33287) J-43173	H57, H56			EA	1						
6220-01-558-7997	TOW LIGHT ASSEMBLY: Emergency (45152) 3421169	H60			EA	1						
4820-00-551-1094	VALVE, REGULATING, FLUID PRESSURE: Acetylene (80204) UL252-TYPE-1	H60	X	U	EA	1						
5120-00-243-9072	WISE, BENCH AND PIPE: 6 in. SWIVEL BASE (45152) 1362540	H60	N	M	EA	1						
5310-00-080-6004	WASHER, FLAT (96906) MS27183-14	H60	X	U	EA	2						
5310-00-637-9541	WASHER, LOCK (75906) 4700-5	H60	X	U	EA	4						
2590-01-222-5437	WIRE AND PLUG, ELECTRICAL: Tow Light Cable (16236) CS-2590-SV-0705	H60	D	Z	EA	1						
5120-01-436-2924	WRENCH, ADJUSTABLE: 8 in. (96508) AC18		D	M	EA	1						
5120-00-264-3796	WRENCH, ADJUSTABLE: 12 in. (45152) 120405A		D	M	EA	1						
5120-01-522-0827	WRENCH, PLIER: 8-1/2 in. Curved Jaw (45152) 1362660	H60	D	M	EA	1						
5120-00-277-4244	WRENCH, PLIER: 10 in. Flat Jaw (77243) 01GS	H60	D	M	EA	1						
5120-01-070-8386	WRENCH, SOCKET: Wheel Nut (45152) 1048-TR		D	M	EA	1						
5120-01-394-4253	WRENCH, TORQUE (64334) 810771	H61			EA	1						
* WHEN USED AS A : HAND RECEIPT, enter Hand Receipt Anex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).												

0002-13

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code <i>c.</i>	* <i>d.</i>	SEC <i>e.</i>	UI <i>f.</i>	QTY AUTH <i>g.</i>	QUANTITY					
							A	B	C	D	E	F
<b>ADDITIONAL AUTHORIZATION LIST (AAL)</b>												
4930-00-516-0839	ADAPTER: nozzle (79326) CCA 107/02	H55, H54	D	U	EA	4						
8415-00-250-2531	APRON: welder's (81348) KK-C-450	H60	N	U	EA	1						
5110-00-293-2336	AXE: single bit (19207) 6150925	H51, H50, H59, H53, H54	D	M	EA	1						
4910-00-347-9703	BAR: hoisting (19204) 7551058	H51, H50, H55, H54, H59, H60, H53, H54	N	Z	EA	11						
6220-01-250-5190	BEACON: warning light (45152) 1505510U	H51, H50, H55, H54, H59, H53, H54	D	Z	EA	1						
2540-00-409-8891	BRACKET: mounting, pioneer tools (96906) MS53053-1	H51, H50, H59, H53, H54	X	U	EA	1						
2590-00-148-7961	CABLE ASSY: NATO w/adapter (56161) 10502786	H51, H50, H55, H54, H59, H53, H54	D	J	EA	1						
3940-01-270-3389	CHAIN: safety, 16-ft., used with towbar, 10 ton (45154) 1482010		X	J	EA	1						
2540-01-152-7813	CHAINS: tire (80535) 16.00.00 x 20/2624		X	U	SE	1						
3439-00-270-6047	CLEANER SET: welding (81349) MIL-C-17223	H60	X	U	SE	1						
4030-01-234-0032	CLEVIS GRAB HOOK (45152) 1481800	H60	N	Z	EA	2						
2540-01-198-7409	COVER: cargo body (45152) 2178120U	H51, H50, H53, H54	X	U	EA	1						
4230-01-220-3221	DECONTAMINATION APPARATUS (19207) 5705588		X	U	EA	1						
4210-00-257-5343	EXTINGUISHER: 15 lb (03670) 14351	H55, H54	D	M	EA	1						
7240-00-222-3084	FUEL CAN (58536) A-A-1702	H60	D	U	EA	1						
8415-00-634-4658	GLOVES: leather (90142) 37G2940		X	U	PR	2						
2510-00-741-7585	GROUND JACK BOARD (19207) 7417585	H51, H50, H60, H53, H54	X	U	EA	2						
5975-01-050-5707	GROUNDING ROD (97403) 13219E0462	H55, H54	D	U	EA	4						
4930-01-028-1442	GUN: grease (10001) 3133414	H60	D	U	EA	1						

0002-14

TM 9-2320-325-10-HR

0002

<b>HAND RECEIPT/ANNEX NUMBER</b> <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---	-------	-----	---------------------

FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER <b>SEE SERIES BELOW</b>	END ITEM DESCRIPTION <b>HEMTT TRUCKS</b>	PUBLICATION NUMBER <b>TM 9-2320-325-10</b>	PUBLICATION DATE <b>15 December 2008</b>	QUANTITY
-------------------	--	---	---	---	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH <i>f.</i>	g. QUANTITY					
							A	B	C	D	E	F
<b>ADDITIONAL AUTHORIZATION LIST (AAL) Continued</b>												
5120-00-288-6574	HANDLE: pick, mattock (56161) 10501973	H51, H50, H59, H53, H54	X	M	EA	1						
2990-01-369-1295	HEATER: arctic (45152) 1970090U	H51, H50, H55, H54, H59, H60, H53	N	U	EA	1						
1055-01-137-4441	HOIST ASSY: launch pad contr, MLRS only (18876) 11508999	H60, H53, H54	N	Z	EA	1						
	HOSE ASSY: arctic (17566) 45A254-P5	H55, H54	X	U	EA	1						
3940-01-247-3682	HOISTING BEAM: double (28602) AC200000364	H50	N	Z	EA	1						
3940-01-247-3681	HOISTING BEAM: single (28602) AC200000354	H50	N	Z	EA	1						
4720-01-254-0189	HOSE: air, intervehicular (96906) MS39325-9-140-8	H51, H50, H55, H54, H59, H53, H54	X	U	EA	1						
4720-00-083-0048	HOSE: discharge, 3 in. x 50 ft (81349) M11588-09-F-LT-50FT	H55, H54	D	U	EA	1						
	HOSE: discharge, 2 in. x 50 ft (97403) 13219E0503	H55, H54	D	U	EA	10						
	KIT: chemical alarm (19207) 5705589		X	U	KT	1						
4240-01-220-6373	KIT: filter unit, gas particulate (45152) 3SK663		X	U	KT	1						
6546-00-922-1200	KIT: first aid (64616) SCC-6545-ILVOL2		X	U	EA	1						
	KIT: inflation, tire (45152) 4SK201	H60	X	U	KT	2						
2590-01-220-6377	KIT: mounting, machine gun (19207) 5705587		X	U	KT	1						
1005-01-266-1233	KIT: mounting, rifle (19207) 5705590		X	U	EA	1						

\* WHEN USED AS A :  
 HAND RECEIPT, enter Hand Receipt Anex Number  
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes  
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

0002-15

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH	<i>g.</i> QUANTITY					
							A	B	C	D	E	F
<b>ADDITIONAL AUTHORIZATION LIST (AAL) Continued</b>												
2910-01-388-6870	KIT: severe duty tank reinforcement (088A2) 45D016		X	U	KT	1						
2540-01-408-1538	KIT: tow bar (45152) 2075150U	H58			KT	1						
2910-01-428-3166	KIT: vapor recovery (088A2) 45D016		D	Z	KT	1						
2510-01-281-1116	LIFT ASSY ADAPTER: (LH) (45152) 1481990W	H60	N	Z	EA	1						
2510-01-281-1115	LIFT ASSY ADAPTER: (RH) (45152) 1481980W	H60	H	Z	EA	1						
5120-00-892-5709	MIRROR: inspection (11676) UH1487		D	M	EA	1						
4930-00-117-4726	NOZZLE: (79326) CCN 101/14	H55, H54	D	Z	EA	4						
4930-00-051-3194	NOZZLE: D-1 (ODT 23) 64349CDK	H55, H54	D	M	EA	2						
5120-00-243-2395	PICK: mattock (19207) 11677022	H51, H50, H59, H53, H54	D	M	EA	1						
5315-01-281-3901	PIN: (45152) 1482000	H60	X	U	EA	8						
5315-01-280-6178	PIN: (45152) 1390070	H60	X	U	EA	2						
5315-01-215-7505	PIN: quick-release (96652) 63-02	H60	X	U	EA	8						
	PLATE: (45152) 2248330 (used for air-transportability)	H55, H54	N	U	EA	1						
7240-00-177-6154	POURING SPOUT: (09647) 838A7511	H60	D	U	EA	1						
4910-00-402-9623	PUMP: primer (33287) J595	H55, H54	D	M	EA	1						
5120-00-197-9473	PUNCH: 17 in. (81348) GGG-T-00563	H60	D	M	EA	1						
4730-00-951-3294	REDUCER: 2 in. male to 3 in. female (96906) MS49000-3	H55, H54	D	U	EA	1						
	SHACKLE: towing (used w/tow bar, 10 ton) (90202) M366		N	Z	EA	2						
4240-00-540-0623	SHIELD: face (58536) A-A-1994	H60	X	U	EA	1						
5120-00-293-3336	SHOVEL: hand (19207) 11655784	H51, H50, H59, H53, H54	D	M	EA	1						
8415-00-164-0513	SLEEVES: welder's (81348) KK-C-450	H60	X	J	PR	1						
3940-00-040-2297	SLING ASSY: (19207) 8330151	H51, H60	N	U	EA	1						

0002-16

TM 9-2320-325-10-HR

0002



<b>HAND RECEIPT/ANNEX NUMBER</b>		FROM:			TO:			HAND RECEIPT NUMBER				
For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.												
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER <b>SEE SERIES BELOW</b>	END ITEM DESCRIPTION <b>HEMTT TRUCKS</b>	PUBLICATION NUMBER <b>TM 9-2320-325-10</b>			PUBLICATION DATE <b>15 December 2008</b>			QUANTITY			
STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH <i>f.</i>	g. QUANTITY					
							A	B	C	D	E	F
<b>ADDITIONAL AUTHORIZATION LIST (AAL) Continued</b>												
3940-01-209-6008	SLING ASSY: (45152) 1385750	H51, H60	N	U	EA	1						
1398-01-083-9313	SLING ASSY: (91796) SW71M	H50	N	U	EA	1						
3940-01-241-7400	SLING ASSY: (28629) AC200000332	H50	N	U	EA	1						
	SLING: hoisting beam, 1st stage, PII only (18876) 11500281-009	H59	N	U	EA	1						
	SLING: hoisting beam, 2nd stage, PII only (18876) 11500280-009	H59	N	U	EA	1						
	STOP: articulating roll (45152) 1536230	H60	N	Z	EA	2						
	STRAP: rubber (45152) 53059AX	H60	X	U	EA	1						
5340-01-204-3009	STRAP: webbing (19200) 9392419	H51, H50, H60	X	U	EA	8						
1670-00-725-1437	TIEDOWN: cargo (81349) MIL-T-27260, Type C, GUIB	H53, H54	X	Z	EA	24						
	TIRE: sand (12195) 16R20XS		X	Z	EA	9						
5210-01-220-6381	TOOL: release, fifth wheel (19207) 12343468	H59	D	M	EA	1						
2540-00-378-2012	TOW BAR: 10 ton (19207) 8383802		N	Z	EA	1						
4710-01-281-1033	TUBE: lift (45152) 1481940	H60	N	Z	EA	1						
2510-01-281-1039	TUBE SUPPORT ASSY: (45152) 1481930W	H60	N	Z	EA	1						
	WATER CAN: (19207) 11655980	H60	D	U	EA	1						
5120-00-423-6728	WRENCH: adjustable, 15 in. (19207) 6187328	H60	D	M	EA	1						
5120-00-449-8084	WRENCH: adjustable, 24 in. (72368) AC124	H60	D	M	EA	1						
* WHEN USED AS A : HAND RECEIPT, enter Hand Receipt Anex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).												

0002-17

TM 9-2320-325-10-HR

0002

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	Used On Code	*	SEC	UI	QTY AUTH	<i>g.</i> QUANTITY					
							A	B	C	D	E	F
<b>ADDITIONAL AUTHORIZATION LIST (AAL) Continued</b>												
5120-00-277-1462	WRENCH: pipe, 24 in. (19204) TKCX1D	H60	D	M	EA	1						
4730-01-068-5070	WYE ASSEMBLY: (9H113) 319K-2	H55, H54	D	U	EA	3						
<b>CROP TOOLS (ON TRUCK)</b>												
5120-00-293-3396	HAMMER	H58	D	M	EA	1						
5120-00-249-1076	SOCKET: socket wrench, 3/4 in. drive	H58	D	M	EA	1						
5310-00-460-7706	BAR: pin	H58	N	Z	EA	1						
5120-00-199-7771	SOCKET: socket wrench, 2 1/2 in.	H58	D	M	EA	1						
3990-01-470-5071	RAMP: loading	H58	N	Z	EA	1						
2540-01-471-5071	EXTENSION ASSY: (hook arm)	H58	N	Z	EA	1						
	TM 9-3990-260-14&P	H58		J	EA	1						

0002-18

TM 9-2320-325-10-HR

0002

<b>RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS</b>  <small>For use of this form, see AR 25-30; the proponent agency is OAASA</small>	Use Part II ( <i>reverse</i> ) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).	DATE
--	--	------

<b>TO:</b> ( <i>Forward to proponent of publication or form</i> ) ( <i>Include ZIP Code</i> )	<b>FROM:</b> ( <i>Activity and location</i> ) ( <i>Include ZIP Code</i> )
---	---

**PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS**

PUBLICATION/FORM NUMBER	DATE	TITLE
-------------------------	------	-------

ITEM	PAGE	PARA- GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON

*\* Reference to line numbers within the paragraph or subparagraph.*

TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	---	-----------

<b>TO:</b> <i>(Forward direct to addressee listed in publication)</i>	<b>FROM:</b> <i>(Activity and location) (Include ZIP Code)</i>	<b>DATE</b>
---	--	-------------

**PART II - REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS**

PUBLICATION NUMBER			DATE		TITLE			
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION

**PART III - REMARKS** *(Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)*

TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	--	-----------

<b>RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS</b> For use of this form, see AR 25-30; the proponent agency is OAASA	Use Part II ( <i>reverse</i> ) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).	DATE
---	--	------

<b>TO:</b> ( <i>Forward to proponent of publication or form</i> ) ( <i>Include ZIP Code</i> )	<b>FROM:</b> ( <i>Activity and location</i> ) ( <i>Include ZIP Code</i> )
---	---

**PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS**

PUBLICATION/FORM NUMBER	DATE	TITLE
-------------------------	------	-------

ITEM	PAGE	PARA-GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON

*\* Reference to line numbers within the paragraph or subparagraph.*

TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	--	-----------

<b>TO:</b> <i>(Forward direct to addressee listed in publication)</i>	<b>FROM:</b> <i>(Activity and location) (Include ZIP Code)</i>	<b>DATE</b>
---	--	-------------

**PART II - REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS**

PUBLICATION NUMBER			DATE		TITLE			
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION

**PART III - REMARKS** *(Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)*

TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	--	-----------

<b>RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS</b>						Use Part II ( <i>reverse</i> ) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).	DATE
For use of this form, see AR 25-30; the proponent agency is OAASA							
TO: ( <i>Forward to proponent of publication or form</i> ) ( <i>Include ZIP Code</i> )						FROM: ( <i>Activity and location</i> ) ( <i>Include ZIP Code</i> )	
<b>PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS</b>							
PUBLICATION/FORM NUMBER						DATE	TITLE
ITEM	PAGE	PARA- GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON	
<i>* Reference to line numbers within the paragraph or subparagraph.</i>							
TYPED NAME, GRADE OR TITLE				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION		SIGNATURE	

<b>TO:</b> <i>(Forward direct to addressee listed in publication)</i>	<b>FROM:</b> <i>(Activity and location) (Include ZIP Code)</i>	<b>DATE</b>
---	--	-------------

**PART II - REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS**

PUBLICATION NUMBER			DATE		TITLE			
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION

**PART III - REMARKS** *(Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)*


TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	--	-----------



By Order of the Secretary of the Army:

GEORGE W. CASEY, JR.  
*General, United States Army*  
*Chief of Staff*

Official:

A handwritten signature in black ink that reads "Joyce E. Morrow". The signature is written in a cursive, flowing style.

JOYCE E. MORROW  
*Administrative Assistant to the*  
*Secretary of the Army*  
0809914

DISTRIBUTION: To be distributed in accordance with the initial distribution requirements for IDN: 380555 requirements for TM 9-2320-325-10-HR.





