COMBAT VEHICLE PRE-COMBAT CHECKLIST FOR:

RECOVERY VEHICLE, FULL TRACKED, MEDIUM M88A1

(2350-00-122-6826)

WARNING

THIS CHECKLIST IS TO BE USED ONLY WHEN AUTHORIZED BY THE COMMANDER. IT IS NOT INTENDED TO BE USED IN PLACE OF THE PMCS.

NOTE

THIS CHECKLIST CONTAINS CHECKS TO BE PERFORMED BEFORE COMBAT TO ASSURE VEHICLE IS MISSION CAPABLE. THE CHECKLIST SEQUENCE NUMBERS HEREIN CORRESPOND TO THOSE PMCS CHECKS IN TM 9-2350-256-10. REPORT CHECK RESULTS TO YOUR IMMEDIATE LEADER.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

By Order of the Secretary of the Army

CARL E. VUONO General, United States Army Chief of Staff

Official:

THOMAS F. SIKORA Brigadier General, United States Army The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-37-E, Block 2095, Operator maintenance requirements for TM 9-2350-256-PCL.

> **DEPARTMENT OF THE ARMY** 28 AUGUST 1990

TM 9-2350-256-PCL

- VEHICLE EXTERIOR: Walk Around And Check For Fluid Leaks, Damage, Tampering And Missing Parts That Prevent Operation. Towbars And Tow Cables Are Secure And Complete. Tow Pintle Locks/Unlocks And Rotates. Main And Hoist Winch Cable Sockets Are Complete.
- EXTERNAL-FIRE EXTINGUISHER PULL HANDLES: Check Lacing And Seal.
 HATCH COVERS: Driver, Asst Driver And Rigger Hatches Lock Open.
- FIXED FIRE EXTINGUISHER SYSTEM: All Bottles
 Are Present And Secure. Primary Bottle Control
 Heads Laced/Sealed. Internal Pull Handles Are
 Laced/Sealed.
- MACHINE GUN: Mounted And Operational.
 Commander's Cupola Rotates And Locks.
- 5. **ENGINE/INSTRUMENTS:** Start Engine. Check Instruments/Warning Lights.

****NOTE: ENGAGE PTO TO WARM MAIN HYDRAULICS***

7. **COMMUNICATION SYSTEM:** Radio And Intercom Operational.

NOTE: START APU.****

- 8 & MAIN WINCH AND SPADE: Unlock, Lower And
 9. Raise Spade. Pay Out And Pay In A Foot Of Main Winch Cable.
- 9. **BOOM AND HOIST WINCH:** Raise Boom A Foot And Return It To Travel Position. Pay Out And Pay In Hoist Winch Cable A Few Inches.
- 11. AUX HYDRAULIC SYSTEM: Engage Aux Hydraulic System. Listen For Load Being Applied To APU. Unlock, Lower And Raise Spade With Aux System.
- ***NOTE: SHUT DOWN AUX HYDRAULIC SYSTEM, APU AND DISENGAGE PTO****
- 16. STEERING AND BRAKE CONTROLS: Brake Pedal Locks Down In Park. Brake Pedal Returns To Release Position In Neutral. Steering Wheel Returns To Center Without Binding.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

	SOMETHING WRONG WITH PUBLICATION FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS) THENJOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL. DATE SENT											
	PUBLICATION NUMBER				PUBLICATION D	ATE	PUBLICATION TITLE					
	BE EXAC PAGE NO.	PARA- GRAPH	FIGURE NO.	TABLE NO.	IN THI AND V	S SPACE, TE	LL WHA	AT IS WRONG DONE ABOUT IT.				
I P	RINTED	NAME, GRA	DE OR TITL	E AND TELE	EPHONE NU	JMBER	SIGN HE	RE				

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE. P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

THE METRIC SYSTEM AND EQUIVALENTS

'NEAR MEASURE

Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches

1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches

1 Kilometer = 1000 Meters = 0.621 Miles

YEIGHTS

Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces

1 Kilogram = 1000 Grams = 2.2 lb.

1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces

1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

SQUARE MEASURE

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches

1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet

1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

CUBIC MEASURE

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet

TEMPERATURE

 $5/9(^{\circ}F - 32) = ^{\circ}C$

212° Fahrenheit is evuivalent to 100° Celsius

90° Fahrenheit is equivalent to 32.2° Celsius

32° Fahrenheit is equivalent to 0° Celsius

 $9/5C^{\circ} + 32 = {\circ}F$

APPROXIMATE CONVERSION FACTORS

TO CHANGE	TO	MULTIPLY BY
Inches	Centimeters	2.540
Feet	Meters	
Yards	Meters	
Miles	Kilometers	
Square Inches	Square Centimeters	
Square Feet	Square Meters	
Square Yards	Square Meters	0.836
Square Miles	Square Kilometers	2.590
Acres	Square Hectometers	
Cubic Feet	Cubic Meters	
Cubic Yards	Cubic Meters	
Fluid Ounces	Milliliters	
nts	Liters	
arts	Liters	
allons	Liters	
Ounces	Grams	
Pounds	Kilograms	
Short Tons	Metric Tons	
Pound-Feet	Newton-Meters	
Pounds per Square Inch	Kilopascals	
Miles per Gallon	Kilometers per Liter	
Miles per Hour	Kilometers per Hour	

TO CHANGE	TO	MULTIPLY BY
Centimeters	Inches	0.394
Meters	Feet	3.280
Meters	Yards	1.094
Kilometers	Miles	0.621
Square Centimeters	Square Inches	0.155
Square Meters	Square Feet	10.764
Square Meters	Square Yards	1.196
Square Kilometers	Square Miles	0.386
Square Hectometers	Acres	
Cubic Meters	Cubic Feet	
Cubic Meters	Cubic Yards	
Milliliters	Fluid Ounces	
Liters	Pints	2.113
Liters	Quarts	1.057
`ers	Gallons	
.ms	Ounces	0.035
.ograms	Pounds	2.205
Metric Tons	Short Tons	1.102
Newton-Meters	Pounds-Feet	0.738
Kilopascals	Pounds per Square Inch	0.145
ometers per Liter	Miles per Gallon	2.354
meters per Hour	Miles per Hour	0.621



PIN: 045051-000