HAND RECEIPT MANUAL COVERING END ITEM/COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)

FOR

TRUCK TRACTOR, LINE HAUL, 50.000 GVWR, 6X4, M915 (NSN 2320-01-028-4395);

TRUCK TRACTOR, LIGHT EQUIPMENT TRANSPORTER (LET), 56.000 GVWR, 6X6, W/WINCH, M916 (NSN 2320-01-028-4396);

TRUCK TRACTOR, MEDIUM EQUIPMENT TRANSPORTER (MET), 75,000 GVWR, 8X6, W/WINCH, M920 (NSN 2320-01-028-4397);

TRUCK CHASSIS, 75,000 GVWR, 8X6 FOR 20 TON DUMP TRUCK, M917 (NSN 3805-01-028-4389);

TRUCK CHASSIS, 56,000 GVWR, 6X6 FOR BITUMINOUS DISTRIBUTOR TRUCK, M918 (NSN 3895-01-028-4390);

TRUCK CHASSIS, 75,000 GVWR, 8X6, FOR CONCRETE-MOBILE® MIXER TRUCK, M919 (NSN 3895-01-028-4391)

HAND RECEIPT

TM 9-2320-273-10-HR

HEADQUARTERS DEPARTMENT OF THE ARMY WASHINGTON, DC., 3 February 1984

HAND RECEIPT MANUAL COVERING END ITEM/COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL) FOR 22 1/2-TON. M915 SERIES TRUCK

MODEL NSN

TRUCK TRACTOR, LINE HAUL, M915	2320-01-028-4395
TRUCK TRACTOR, LIGHT EQUIPMENT TRANSPORTER (LET) M916	2320-01-028-4396
TRUCK TRACTOR, MEDIUM EQUIPMENT TRANSPORTER (MET) M920	2320-01-028-4397
TRUCK CHASSIS, FOR 20-TON DUMP TRUCK M917	3805-01-028-4389
TRUCK CHASSIS, FOR BITUMINOUS DISTRIBUTOR TRUCK M918	3895-01-028-4390
TRUCK(CHASSIS, FOR CONCRETE-MOBILE MIXER M919	3895-01-028-4391

REPORTING OF ERRORS

You can improve this manual by recommending improvements using DA Form 2028 (Recommended Changes to Publications and Blank Forms) or DA Form 2028-2 (Recommended Changes to Equipment Technical Publications) and mail the form to Commander, US Army Tank-Automotive Command, ATTN: DRSTA-MB, Warren, MI 48090. A reply will be furnished directly to you.

TABLE OF CONTENTS

	Page
SECTION I. INTRODUCTION	1
SECTION II. HAND RECEIPT	3

Section I. INTRODUCTION

1. SCOPE

This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components Of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to the M915 22 1/2-Ton Series Trucks.

2. GENERAL

a. Section II is the overprinted DA Form 2062 which lists the content of COEI, BII, and AAL extracted from

TM 9-2320-273-10. The listings consist of exactly the same items and are in the same sequence as those listings in TM 9-2320-273-10.

b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.

- c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.
- d. Additional copies may he requisitioned from: Commander, Baltimore AG Publications Center, 2800 Eastern Blvd., Baltimore, MD 21220.

3. EXPLANATION OF BLOCKS AND COLUMNS (DA FORM 2062)

Refer to DA Pam 710-2-1, Chapter 5. Additional information required to complete DA Form 2062 is listed below:

- a. Hand receipts shall identify the accounting requirement status of all line entries in Column C. One of the following Accounting Requirement Codes (ARC) will apply:
- (N) for Nonexpendable: Items not consumed in use, retaining their identity during use, and requiring that accountability he maintained throughout the life of the item.
- (D) for Durable: Nonconsumable components of sets, kits, outfits, and assemblies: all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220, and 5280: and any other nonconsumable with a price in excess of \$50.00 not already "N".

- (X) for Expendable: Items regardless of type classification of price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".
- b. "Usable on" codes, listed in the "Description" column, identify which items are used on different models. Codes used in this hand receipt are:

Code	Used on
All	All
U21	M915
U22	M916
U23	M917
U24	M918
U25	M919
U26	M920

- c. Authorization documents are as follows:
- (1) Components Of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).
- (2) Basic Issue Items (BII) are authorized by the applicable operator's manual.
- (3) Additional Authorization List (AAL) items are authorized by appropriate MTOE, TDA, CTA, or JTA authorization documents.

Section II. HAND RECEIPT FROM: HAND RECEIPT / AND PLANT MARKET HAND RECEIPT NUMBER For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG. END ITEM STOCK NUMBER END ITEM DESCRIPTION PUBLICATION NUMBER PUBLICATION DATE QUANTITY ANNEX/CR See Below TRUCK, 22-1/2 Ton M915 Series TM9-2330-273-10-HR EXP. CODE, NAME, FSCM P/N USABLE ON CODE QUANTITY QTY AUTH g. STOCK NUMBER SEC UI С. d. A С D Е F 2320-01-028-4395 TRUCK, TRACTOR, LINE HAUL 2320-01-028-4396 TRUCK, TRACTOR, LET TRUCK, TRACTOR, MET 2320-01-028-4397 TRUCK, CHASSIS, FOR M917 3805-01-028-4389 3395-01-028-4390 TRUCK, CHASSIS, FOR M918 TRUCK, CHASSIS, FOR M919 3895-01-028-4391 COMPONENTS OF END ITEM (COEI) NOT APPLICABLE BASIC ISSUE ITEMS (BII) 5120-00-224-7330 JACK, HYD: 12 TON (04720) D120, U21 (N)М EΑ 1 JACK, HYD: 30 TON (96906) MS16283-5 01-107-5724 5120-00-188-1788 EΑ 1 (N)М U22 Thru U26 * WHEN USED AS A: HAND RECEIPT, enter Hand Receipt Annex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

PAGE 1 of 6 PAGES

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

STOCK NUMBER	K. 22-1/2 Ton M915 Series		SEC	UI	QTY AUTH	g.		QUA	NTITY		
a.	b.	* c.	d.	e.	f.	А	В	С	D	E	
449-7	BII - CONTINUED										_
5120-00-316-9217	WRENCH: Socket (09386) 34379, ALL	(D)	М	EA	1			,			L
5120-00-084-3298	HANDLE, WRENCH (34623) 967556, ALL	(D)	U	EΑ	1_						
4210-00-889-2221	EXTINGUISHER, D FIRE (33525) DCKR-6, ALL	(N)	U	EA	1						L
4910-01-003-9599	TIRE PRESSURE GAGE (19207) 7974576-1, ALL	(X)	U	EA	1						
4720-00-328-5422	HOSE, PNEUMATIC, TIRE INFLATOR: 40 Ft.	(N)		ļ	1						
	Long, Quick Disconnect: (19207) 11624422-7,			-	ļ						L
	ALL										
9905-01-090-9819	TRIANGLES, FOLDING - REFLECTIVE (51442)	(x)_	U	EA	1						Ļ
	950, ALL				ļ						-
6545-00-922-1200	FIRST AID KIT, GEN. PURPOSE (19207)	(D)	U	EA	1_						L
	11677011, ALL				<u> </u>						L
2540-00-670-2459	BAG, PAMPHLET (19207) 7961712, ALL	(D)	U	EA	1		ļ				-
7510-00-889-3494	BINDER, LOOSELEAF (72094)	(X)	U	EA	1_		<u> </u>				-
	43986-1, ALL			ļ							-
5910-00-714-7585	BOARD, JACK SUPPORT (34623) MA207-20094,	(N)	U	EA	1				ļ		1
	U22 Thru U26										-
6150-01-022-6004	KIT, POWER CABLE (19207) 11682336-1, ALL	(N)	U	EA	1						1
				ļ	ļ						+
					_						-

TM 9-2330-273-10-HR TRUCK, 22-1/2 Ton M915 Series

STOCK NUMBER	ITEM DESCRIPTION		SEC	u	QTY HTUA	g.	g. QUANTITY			TY		
a.	b.	* c.	d.	e.	f.	A	В	С	D	E	L	
***************************************	BII - CONTINUED											
148 - 69 44 2920-01- 082-621 4	CABLE ASSY., TRACTOR, TRLR.: 12 Ft.	(N)	υ	EA	1_						Ļ	
	12 Volt 7 Pin. Recept. (34623) MA73-20001,										 -	
	U21, U22 & U26							<u> </u>				
2590-01-082-3172	HARNESS ASSY., INTERVEHICULAR: 12 Ft.	(X)	U	EA	1			ļ				
	24 Volt (34623) MA365-20000, U21, U22 & U26						ļ					
6220-01-091-8016	LAMP, WORK, PORTABLE: (34623)	(N)	U	EA	1_							
	M-A191A-20001, U22 & U26											
5120-00-234-8913	SCREWDRIVER, CROSS TIP: Tip Sy No. 2,	(D)	М	EA	1							
	Blade 4 In. (19207) 11655777-12, ALL											
5120-00-222-8852	SCREWDRIVER, FLAT TIP: Flared Tip, Blade	(D)	М	EA	1							
	4 In. (77948) 225498, ALL											
5120-00-278-1280	SCREWDRIVER, FLAT TIP: Plastic Handle,	(D)	М	EA	1							
	Rd. Blade 3/8 In. Wide Tip, 8 In. Long											
	(55719) SSD8, ALL											
5120-00-224-7375	SCREWDRIVER, CROSS TIP: Phillips-type,	(D)	М	EA	1							
	Plastic Handle, 8 In. Long (55719) RGP84, ALL											
5140-00-473-6256	BAG, COTTON DUCK: 10 x 20 X/Flap (81348)	(D)	М	EA	1						1	
	MIL-B-43663, ALL							ļ			-	
								<u> </u>			1	

N	
۲	

STOCK NUMBER	ITEM DESCRIPTION		SEC	SEC	SEC UI		g		QUAI	NTITY		·
I.	b.	* c.	d.	е.	AUTH f.	A	В	С	D	E	F	
	BII - CONTINUED											
5120-00-240-5328	WRENCH, OPEN END: Adjustable Type 8 In.	(D)	М	EA	1							
	Long (80063) TL476U, ALL			ļ			ļ 			ļ. <u></u>		
5120-00-264-3796	WRENCH, OPEN END: Adjustable Type 0-1.322,	(D)	М	EΑ	1						_	
	12 In. Long: (19207) 5323324, ALL						ļ				_	
5120-00-223-7397	PLIERS, SLIP JOINT: Str. Nose, 8 In. Long:	(D)	М	EA	1						ļ	
	(19207) 5214421, ALL											
								_				
											Ī	
											T	

The proponent agency is ODC OR END ITEM STOCK NUMBER EX/CR	END ITEM DESCRIPTION TRUCK, 22-1/2 Ton M915 Series TM9-2330-2	273-10 -	HR		PUBLI	CATION	DATE	QU	ANTITY		
STOCK NUMBER	EXP. CODE, NAME, FSCM P/N, USABLE ON CODE	*	SEC	UI	QTY AUTH			QUAN	TITY		r -
a.	b .	с.	d.	e.	f.	А	8	С	D	E	L
NAME AND ASSESSMENT ASSESSMENT AND ASSESSMENT ASSESSMENT ASSESSMENT AND ASSESSMENT ASSESS	ADDITIONAL AUTHORIZATION LIST (AAL)				ļ						L
5110-00-293-2336	AX: SGL-Bit 4-16-HD-WT 35.5 in. to 36.5	(D)	М	EA						ļ	-
	in. lg. (81348) GGG-A-926, ALL									ļ. <u></u>	L
\$570 5 110 =00-491-0307	BLOCK: Hydraulic Jack Support, Wood,	(X)	U	EA							L
	4x8x9 in. (19207) CPR-103023-2										
\$5'0 5 110 -00-491-0306	BLOCK: Hydraulic Jack Support, Wood,	(X)	U	EA							ļ
	7x8x9 in.: (19207) CPR-103023-1										ļ
2540-00-933-6935	CHAINS, TIRE: 11.00x24 Tire, (96906)	(X)	U	EA	-	<u> </u>					1
	MS-500055-23 U22 Thru U26			<u> </u>	ļ						\downarrow
2540-00-933-9034	CHAINS, TIRE: 10.00x20 Tire, (96906)	(X)	U	EA	<u> </u>						1
	MS-50055-16 U21									<u> </u>	1
5120-00-288-6574	HANDLE: Mattock-Pick, 35.5 in. to 36.5	(D)	М	EA							\downarrow
	in. lg. (81348) NN-H-93, ALL								<u> </u>		1
5120-00-243-2395	MATTOCK: Pick Type 5 lb. W/O Handle	(D)	М	EA			ļ			L	1
	(19207) 11677022, ALL										

* WHEN USED AS A:

HAND RECEIPT, enter Hand Receipt Annex Number

HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes

HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

N
t
ത

STOCK NUMBER	ITEM DESCRIPTION	*	SEC	UI	QTY AUTH	g.		QUAN	(ΤΙΤΥ 		
a.	b.	Т	d.	е.	f.	А	8	С	D	E	F
5 120 - 00 - 29 3 - 3336	SHOVEL, Handle RD-PT, D-HDL, Short Size 2	(D)	М	EΑ			ļ !				
	(81348) GGG-S-326, ALL										
2540-00-378-2012	TOW BAR, Medium duty (19207) 8383802, ALL	(X)	U	EΑ							
	COMPOSED OF:										
5340-00-545-2337	CLEVIS (19207) 8724449, ALL	(X)	IJ	EΑ							
5315-00-539-9174	PIN (19207) 10929861, ALL	(X)	U	EA				<u> </u>			
5315-00-350-4326	PIN, Locking (19207) 5213744, ALL	(X)	U	EΑ		<u></u>					
4720-00-740-9662	HOSE: Air Connection (19207) 7409662, ALL	(X)	U	EA							
4230-00-720-1618	M11 DECONTAMINATION UNIT W/MOUNTING BRACKET	(X)	U	EA							
	AND HARDWARE: (81349) MIL-D-51048, ALL										
											-
212 20 324 - 1225	Wheel Al, garrent Change			Caj"							
622 11-212 C982	Pegino Kit, 128 King to Cherry			Kit				ļ <u>.</u>		ļ	
1 40 4 287 3912	Part Better Site 1 100			The state of							
3342 11 2 2 2 2 3	Par Breakly (192) Clerk of Time Park							ļ			
6220-01-091-8016	work lamp, Portable			€ 5.						ļ	
								ļ <u>.</u> .			
							ļ				
						<u> </u>	<u> </u>				<u></u>

By Order of the Secretary of the Army:

JOHN A. WICKHAM, JR. General, United States Army Chief of Staff

Official:

ROBERT M. JOYCE Brigadier General, United States Army The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-38, Operator Maintenance requirements for Truck, Tractor, M915 Series.

☆U.S. GOVERNMENT PRINTING OFFICE: 1995 - 388-421/03261

PIN: 054844-000